

การคาดการณ์ผลสำเร็จของการสอบใบอนุญาตทางการแพทย์ระดับที่ 1 ของนิสิตแพทย์มหาสารคาม

ประวิสา ภักดีไทย

กลุ่มงานโสด ศอ นาสิก โรงพยาบาลกาฬสินธุ์

Prediction of Success in Medical Licensing Examination of Thailand (MLET) Step1 of Mahasarakham Medical Students

Pawarisa Pakdeethai

Co-Graduate School of Medicine, Mahasarakham University, Kalasin Hospital, Department of Otolaryngology, Kalasin

หลักการและวัตถุประสงค์: ตามข้อกำหนดแพทยสภา ตั้งแต่ปี พ.ศ. 2546 นิสิตแพทย์ทุกคนต้องผ่านการสอบใบอนุญาตทางการแพทย์เพื่อจะจบเป็นแพทย์ โดยการสอบมี 3 ระดับระดับที่ 1 เรียกว่า วิทยาศาสตร์การแพทย์พื้นฐานจะสอบเมื่อนิสิตแพทย์เรียนจบชั้นปีที่ 3, ระดับที่ 2 เป็นการสอบเพื่อประเมินความรู้ทางวิทยาศาสตร์คลินิกซึ่งจะสอบ เมื่อ นิสิตแพทย์เรียนจบชั้นปีที่ 5 และระดับที่ 3 เป็นการสอบเพื่อประเมินทักษะทางคลินิกซึ่งจะสอบเมื่อนิสิตแพทย์เรียนจบชั้นปีที่ 6 การศึกษาครั้งนี้จึงมีวัตถุประสงค์เพื่อศึกษาถึงปัจจัยที่สามารถพยากรณ์ผลการสอบใบอนุญาตทางการแพทย์ระดับที่ 1 โดยมีสมมติฐานว่าปัจจัยพื้นฐานและผลการศึกษาของนิสิตแพทย์น่าจะสามารถพยากรณ์ผลการสอบใบอนุญาตทางการแพทย์ระดับที่ 1 ได้

วิธีการ: การวิเคราะห์การตัดสินใจโดยโลจิสติกของปัจจัยพื้นฐาน (อายุ เพศ ภูมิลำเนา) และผลการศึกษา (เกรดเฉลี่ยระดับมัธยมปลาย คะแนนสอบเข้ามหาวิทยาลัยสารคามและเกรดเฉลี่ยของการเรียนแพทย์ชั้นก่อนคลินิก) กับผลการสอบใบอนุญาตทางการแพทย์ระดับที่ 1 ครั้งแรกของนิสิตแพทย์มหาสารคามตั้งแต่ปี พ.ศ. 2549 -2558 จำนวน 340 ราย

ผลการศึกษา: นิสิตแพทย์มหาสารคามทั้งหมดจำนวน 340 ราย อายุเฉลี่ย 22 ปี (21-24 ปี) เป็นเพศหญิงร้อยละ 62.9 พบว่านิสิตแพทย์จำนวน 229 ราย (ร้อยละ 67.4) สอบใบอนุญาตทางการแพทย์ระดับที่ 1 ครั้งแรกผ่าน จากการวิเคราะห์การตัดสินใจโดยโลจิสติกพบว่าเกรดเฉลี่ยของการเรียนแพทย์ชั้นปีที่ 1-3 เป็นปัจจัยที่สามารถพยากรณ์ผลการสอบใบอนุญาตทางการแพทย์ระดับที่ 1 ได้อย่างมีนัยสำคัญ โดยหากเกรดเฉลี่ยของการเรียนแพทย์ชั้นปีที่ 1-3 เพิ่มขึ้น 1 คะแนน โอกาสสอบใบอนุญาตทางการแพทย์ระดับที่ 1

Background and Objective : According to the Thai Medical Council requires that all Thai medical students who matriculated as of academic year 2003 must pass the Medical Licensing Examination. There are three steps for the examination. The Step 1 examination, called comprehensive basic medical science, would be held at the end of their third academic year. The Step 2 examination, tested the knowledge on clinical science, would be held at the end of their fifth academic year. The Step 3 examination, tested the clinical skill, would be held at the end of their sixth academic year. This study aims to assess factors that predict students' performance in the Medical Licensing Examination of Thailand (MLET) Step1 examination. The hypothesis was that demographic factors and academic records would predict the students' performance in the Step1 Licensing Examination.

Methods: A logistic regression analysis of demographic factors (age, sex and residence) and academic records [high school grade point average (GPA), Mahasarakham University Entrance Examination score and GPAs of the pre-clinical years] with the MLET Step1 outcome was accomplished using the data of 340 Mahasarakham medical students who had first attempt for the MLET Step1 since 2006 to 2015.

Results: Of 340 Mahasarakham medical students [mean (range) age, 22 (21-24) years; 62.9% were females, 229 (67.4%) passed the MLET Step1 examination. Stepwise

ครั้งแรกผ่านเพิ่มขึ้น 1.3, 12.7 และ 17.6 เท่าตามลำดับ ส่วนปัจจัยพื้นฐาน, เกรดเฉลี่ยระดับมัธยมปลายและคะแนนสอบเข้ามหาวิทยาลัยนั้นไม่สามารถ พยากรณ์ผลการสอบใบอนุญาตทางการแพทย์ระดับที่ 1 ได้อよ่งมีนัยสำคัญ สรุป: นิสิตแพทย์ที่มีเกรดเฉลี่ยของการเรียนแพทย์ชั้นปีที่ 1-3 ต่ำมีความเสี่ยงที่จะสอบใบอนุญาตทางการแพทย์ระดับที่ 1 ในครั้งแรกไม่ผ่าน

คำสำคัญ: พยากรณ์, ผลสำเร็จ, การสอบใบอนุญาตทางการแพทย์ระดับที่ 1

logistic regression analysis showed that the significant predictors of MLET Step 1 success/failure were GPAs of the preclinical years. For students whose first, second and third-year GPAs increased by an average of 1 point, the odds of passing the MLET Step 1 examination increased by a factor of 1.3, 12.7 and 17.6, respectively. All demographic factors, high school GPA and the University Entrance Examination score were not the significant predictors of MLET Step 1 success/failure.

Conclusions: Students with low-grade point averages in their first, second and third preclinical years of medical school are at risk of failing the MLET Step 1 examination.

Key words: Prediction, success, MLET step1

ศринครินทร์เวชสาร 2559; 31 (2): 210-215. ♦ Srinagarind Med J 2016; 31 (2): 210-215.

Introduction

According to the regulations established in 2002, the Thai Medical Council requires that all Thai medical students who matriculated as of academic year 2003 pass the Medical Licensing Examination of the Thai Medical Council in order to be a licensed physician in Thailand. There are three steps to the examination. Step 1, called comprehensive basic medical science, centers on the subjects covered in the pre-clinical curriculum (anatomy, biochemistry, epidemiology, microbiology, pathology, pharmacology, and physiology). Thai medical students sit for the Medical Licensing Examination of Thailand (MLET) Step 1 which is a paper-based 300-MCQ examination covering basic science subjects at the end of their third academic year. The Step 2 examination, which is a paper-based 300-MCQ examination covering clinical science subjects, would be held at the end of their fifth academic year. The Step 3 examination, includes OSCE (objective structural clinical examination) covering clinical skills, would be held at the end of their sixth academic year.

The faculty of Medicine, Mahasarakham university, delivers a 6-year medical curriculum. High-school

graduates qualify for admission by the Mahasarakham University Entrance Examination (MUEE) and an interview process. The first 3-year (pre-clinical) courses included several disciplines relating to basic medical science. Community medicine and introduction to clinical medicine are introduced during the second semester of the third academic year. The students sit for the MLET Step 1 at the end of their third year.

This report describes the Mahasarakham medical students' results in their first attempt sitting for the MLET Step 1 examination and factors predicting their success or failure

Materials and Methods

MLET Step 1 tests the medical students' knowledge in a problem-solving framework using clinical vignettes. It is a 1-day, 6-hour, multiple-choice examination (MCQ) divided into two blocks (each block containing 150 questions). The examination items are created in accordance with the Thai Medical Council's Table of Specification on Basic Science Subjects, similar to that of the United States Medical Licensing Examination (USMLE) Step 1. Subjects include anatomy, behavioral science, biochemistry, epidemiology, immunology,

microbiology, pathology, pharmacology and physiology. The examination items are developed by all Thai medical school faculties and pooled at the meeting of the Thai Medical Council Committee. The committee finally selects the 300 questions for the examination and establishes the minimum passing score based on the examination results. Three hundred and forty of the third-year Mahasarakham medical students (male : female = 126 : 214) who had first attempt for MLET Step1 since 2006 to 2015. Objective data on demographic factors (age, gender and residence), high school grade point average (GPA), Mahasarakham University Entrance Examination (MUUE) and GPAs at year 1, year 2 and year 3 in medical school were retrieved from the Medical Education Unit.

The system of grading for GPA is as follows:

A = grade 4.00, B+ = grade 3.50, B = grade 3.00, C+ = grade 2.50,

C = grade 2.00, D+ = grade 1.50, D = grade 1.00, F = grade 0.00

The GPA is averaged from each clerkship grades (weighted with the number of credits of the clerkship). Each clerkship grade is obtained by multiplying the grade with the number of credits of that clerkship.

The result of the Medical Licensing Examination Step1 was obtained from the Thai Medical Council after the examination. Logistic regression analysis was performed with SPSS 15.0 software.

The logistic regression model was constructed using the forward selection procedure in an attempt to discover the predictors of MLET Step1 success and failure. At each step, the explanatory variable with the smallest significance predictors of MLET Step1 success and failure. At each step, the explanatory variable with the smallest significance level for the Wald statistic was entered into the model. The Wald statistics is a method in logistic regression to test the null hypothesis (H_0) that the associate parameter estimates are not significantly different from 0. The default entry criterion for the explanatory variables was a p-value of 0.05. The Wald statistics for all variables in the model were examined and the explanatory variable with the largest p-value of

the Wald statistic was removed from the model. The default removal criterion was $p = 0.10$. If no explanatory variables met the removal criterion, the next eligible variable was entered into the model. The iteration process for selecting explanatory variables continued until no additional variables met the entry or removal criterion.

Results

The passing score set by the Thai Medical Council, based on the minimum passing level and the standard error of measurement. Two hundred and twenty-nine out of 340 (67.4%) Mahasarakham medical students passed the examination.

Predictors of the pass/fail groups are shown in Table 1. The passing rate was slightly higher in the younger age group, male sex and Mahasarakham residence. All students with year-2 GPA of < 2.5 and most of the students with year-3 GPA of < 2.5 failed the examination.

The logistic regression method yielded the following logistic regression equation to predict the MLET Step1 passing status: the estimated probability of passing the MLET Step1 was: $P(X) = e^z / (1 + e^z)$ where e is the base of the natural logarithm, approximately 2.718, and $Z = -14.37 + 0.26*GPAyr1 + 2.54*GPAyr2 + 2.87*GPAyr3$

Based on the contribution from each of the explanatory variables, the estimated probability could be derived from this equation for an individual student. If the calculated probability was $e^z / (1 + e^z) > 0.5$, a student was categorized in the passing group of the MLET Step1. On the contrary, those with a probability of < 0.5 would be classified in the fail group. The prediction accuracy of this equation was as follows: 90% for the pass group, 62.1% for the fail group and 84.1% for the combined pass and fail group (Table 2). The receiver operating curves is shown in Figure 1. The performance of the model was relatively good with an area under curve (AUC) of 0.84. The logistic enter (all variables) analysis serving as a benchmark for the stepwise model yielded similar result.

Table 1 Predictors of the pass/fail groups

Predictors	Pass group n=229(67.4%)	Fail group n=111(32.6%)
Age (mean \pm SD)	21.97 \pm 0.66	22.28 \pm 0.76
Male (%)	72.20	27.80
Female (%)	64.48	35.52
Residence: Mahasarakham (%)	68.13	31.87
Residence: non-Mahasarakham (%)	67.07	32.93
Entrance examination score (mean \pm SD)	55.68 \pm 4.35	53.98 \pm 4.36
GPA year-1 (mean \pm SD)	3.72 \pm 0.19	3.55 \pm 0.23
GPA year-2 (mean \pm SD)	3.39 \pm 0.26	3.05 \pm 0.27
GPA year-3 (mean \pm SD)	3.32 \pm 0.28	2.86 \pm 0.26
GPA year-1: < 3.0 from 4.00 scale (%)	20	80
GPA year-2: < 2.5 from 4.00 scale (%)	0	100
GPA year-3: < 2.5 from 4.00 scale (%)	10	90

GPA: grade point average, SD: standard deviation

Table 2 Logistic Regression Model for Predicting MLET step1 Pass Status

Variables in the equation	Logistic regression coefficient (β)	SE (β)	OR (e^β)	95%CI of OR
GPA-year 1	0.26*	0.15	1.30	0.65-14.86
GPA-year 2	2.54**	1.06	12.68	1.60-95.72
GPA-year 3	2.87**	1.09	17.64	2.99-135.24
Constant	-14.37**	3.42	0.000	

95%CI: 95% confidence interval; GPA: grade point average; OR: odds ratio

MLET: Medical Licensing Examination of Thailand; SE: standard error

*p< 0.05, **p< 0.01

Discussion

We were dissatisfied with the performance of our medical students in their first attempt sitting for the MLET Step1.

The failure rate of 32.6% prompted us to search for factors influencing success and failure in the examination. The objective data collected for demographic characteristics were age, gender and residence.

Our study found no difference on MLET step1 performance by age. Our medical students' ages were close, ranging from 21 to 24 years, which probably explained the non-significant difference in their performance. This finding was consistent with a study




Figure 1 Receiver operating curve (ROC)

carried out by Ramsbottom-Lucier et al¹. Of particular note was the matriculation ages of their students, which ranged from less than 23 to 28 years or older. They also noted a modest gender difference on the NBME I result, with males performing better than females. In the new era of USMLE, Case et al² also reported that males outperformed females in the Step1 examination. Our study also found that males outperformed females in the Step1 examination however there was no statistical significance. The pass rates of our male and female students were 72.2% and 64.5%, respectively. Haist et al³ explored the interaction between gender and age. They found a significant gender effect on age in predicting academic performance. We did not study this interaction due to the narrow age range of our students.

Our study found no differences on the MLET Step1 performance by the students' residences. Almost of our medical students' residences were rural backgrounds which probably explained the non-significant difference in their performance. This finding was different from a Croatian study carried out by Polasek and Kolcic⁴ and a Thai study carried out by Samkaew and Supavadee⁵ where students from urbanized backgrounds outperformed those from rural backgrounds. They explained by the nature of developing countries, where access to knowledge and information is markedly different in urban and remote areas. The higher standard of teaching and extra lessons in highly urbanized high schools may have enhanced the students' critical thinking skills, resulting in better performance in examinations.

GPA and scores have been extensively investigated in relation to examination outcome. Veloski et al⁶ found that MCAT scores and science GPA were good predictors of USMLE Step1 performance. Basco et al⁷ and Kasuya et al⁸ reported similar results. Our study included high school GPA, Mahasarakham University Entrance Examination (MUEE) and undergraduate GPAs. It was evident that high school GPA was not correlated with MLET Step1 performance since marking and grading systems in our high schools were still not standardized. MUEE score was not a significant

predictor because the subjects tested were purely science subjects e.g. chemistry, physics, biology and mathematics. The freshmen, sophomore and third-year GPAs significantly predicted MLET Step1 results. When the freshmen, sophomore and third-year GPAs increased by an average of 1 point, the odds of passing the MLET Step1 increased by factors of 1.3, 12.7 and 17.6 respectively. The freshmen's GPA could predict examination performance less significant ($p < 0.05$) than second and third-year GPAs ($p < 0.01$) because it is derived mainly from the science subjects. The obvious reason was that the subjects taught in the second and third years were mainly basic medical sciences compatible with the Table of Specification of the examination. These values indicate that the effect was very significant. This implies that there should be prompt intervention or tutorials of students with low GPAs in their first and second years. Delaying such intervention until the outcome of third-year GPA may be too late and result in a high possibility of failing the MLET Step1 examination.

Our study was retrospective so the limitation was some data lost for example high school GPA and birth date.

In conclusion, our study found that Thai students low freshmen and sophomore GPAs were at risk of performing poorly on the MLET Step1 and required intensive academic supervision to prevent unsatisfactory outcomes in the medical licensing examination.

References

1. Ramsbottom-Lucier M, Johnson MM, Elam CL. Age and gender differences in students' preadmission qualifications and medical school performances. *Acad Med* 1995; 70: 236-9.
2. Case SM, Swanson DB, Ripkey DR, Ripkey DR, Bowles LT, Melnick DE. Performance of the class of 1994 in the new era of USMLE. *Acad Med* 1995; 71 (Suppl): S91-S93.
3. Haist SA, Wilson JF, Elam CL, Blue AV, Fosson SE. The effect of gender and age on medical school performance: an important interaction. *Adv Health Sci Educ Theory Pract* 2000; 5: 197-205.

4. Polasek O, Kolcic I. Academic performance and scientific involvement of final-year medical students coming from urban and rural backgrounds. *Rural Remote Health* 2006; 6: 530.
5. Samkaew Wanvarie, Supavadee Prakunhungsit. Logistic regression analysis to predict medical licensing examination of Thailand (MLET) Step1 success or failure. *Ann Acad Med Singapore* 2008; 37: 1024-6
6. Veloski JJ, Callahan CA, Xu G, Hojat M, Nash DB. Prediction of students' performances on licensing examinations using age, race, sex, undergraduate GPA, and MCAT scores. *Acad Med* 2000; 75(Suppl): S28-S30.
7. Basco WT Jr, Way DP, Gilbert GE, Hudson A. Undergraduate institutional MCAT scores as predictors of USMLE step1 performance. *Acad Med* 2002; 77(Suppl): S13-S16.
8. Kasuya RT, Naguwa GS, Guerrero AP, Hishinuma ES, Lindberg MA, Judd NK. USMLE performances in a predominantly Asian and Pacific Islander population of medical students in a problem-based learning curriculum. *Acad Med* 2003; 78: 483-90.

